

Appendix B

Soils

Soil type	percent
Alturas loam	0.20%
Balman loam	0.14%
Barnard clay loam	0.37%
Barnard cobbly loam	0.52%
Barnard gravelly loam	3.28%
Barnard stony sandy loam	0.11%
Bieber cobbly loam	2.01%
Bieber gravelly loam	2.04%
Brubeck very cobbly clay	0.85%
Brubeck-Loomis association	0.46%
Buckbay-Orhood-Fredonyer association	0.07%
Buntingville clay loam	1.02%
Cewat-McConnel-Toulon association	0.99%
Cleghorn sandy loam	1.32%
Cochran very cobbly loam	3.43%
Corral sandy loam	0.21%
Corral very cobbly loam	0.65%
Daphnedale stony loam	0.10%
Delma cobbly loam	0.39%
Devada-Brubeck association	2.89%
Devada-Fivesprings-Rubble land association	0.89%
Devada-Orhood-Hart Camp association	0.99%
Devada-Petes creek-Fiddler association	3.12%
Devada-Rock outcrop association	3.78%
Deven-Rock outcrop complex	1.03%
Dryvalley silt loam	0.48%
Dryvalley-Playas complex	3.85%
Fiddler-Orhood-Petes creek association	2.46%
Fivesprings-Longcreek association	0.02%
Fluents-Riverwash complex	0.06%
Fordney loamy sand	0.10%
Gerlach-Ravendale complex	0.01%
Horsecamp-Brubeck association	1.42%
Karcas-Ninekar complex	1.01%
Ladd sandy loam	0.03%
Lakeview loam	0.66%
Longcreek-Devada-Rubble land complex	4.46%
Loomis very cobbly loam	0.22%
Loomis-Fivesprings association	0.02%
Lovejoy silt loam	0.45%
Mazuma fine sandy loam	0.42%
Modoc sandy loam	0.40%
Ninekar very stony silt loam	0.54%
Orhood very stony sandy loam	0.15%
Pasquetti silty clay loam	1.59%
Petes creek-Devada-Searles association	0.00%
Petes creek-Searles association	0.61%
Pineal silt loam	0.00%
Pit clay	0.80%
Pit silty clay loam	0.01%

Soil type	percent
Pits and Dumps	0.16%
Puls very cobbly loam	0.70%
Puls-Ninekar complex	1.75%
Ravendale silty clay	15.76%
Rubble land-Fiddler association	1.57%
Rubble land-Longcreek-Fivesprings association	1.41%
Saddlerock silty clay	1.11%
Saddlerock-Yobe-Termo complex	0.06%
Searles-Devada-Fivesprings association	10.12%
Searles-Devada-Rubble land association	0.43%
Searles-Glean association	0.05%
Searles-Orhood-Devada association	1.84%
Smocreek silty clay loam	0.61%
Termo-Biscaro complex	2.35%
Termo-Playas complex	1.25%
Termo-Springmeyer-Smocreek complex	0.73%
Truax sandy loam	2.01%
Tulana mucky loam	3.53%
Tunnison very cobbly clay	1.61%
Tunnison-Devada association	0.27%
Whitinger-Devada association	1.28%
Yobe silt loam	0.13%
Zorravista loamy sand	0.68%
Zorravista sand	0.02%
Grand Total	100.00%